

s a r o m ™  
c o m b i n a t i o n s u n e x p e c t e d




NEW SUEDINE






NEW SUEDINE - 943




NEW SUEDINE - 940




NEW SUEDINE - 941




NEW SUEDINE - 939



NEW SUEDINE - 938



NEW SUEDINE - 937



NEW SUEDINE - 944




NEW SUEDINE - 928




NEW SUEDINE - 929




NEW SUEDINE - 927



NEW SUEDINE - 930



NEW SUEDINE - 934



NEW SUEDINE - 933





NEW SUEDINE - 942




NEW SUEDINE - 901



NEW SUEDINE - 902




NEW SUEDINE - 903




NEW SUEDINE - 904



NEW SUEDINE - 906




NEW SUEDINE - 905




NEW SUEDINE - 907




NEW SUEDINE - 911



NEW SUEDINE - 908



NEW SUEDINE - 909




NEW SUEDINE - 910





NEW SUEDINE - 924



NEW SUEDINE - 925




NEW SUEDINE - 926




NEW SUEDINE - 932




NEW SUEDINE - 935




NEW SUEDINE - 936




NEW SUEDINE - 912




NEW SUEDINE - 931




NEW SUEDINE - 913




NEW SUEDINE - 914




NEW SUEDINE - 915




NEW SUEDINE - 916




NEW SUEDINE - 917




NEW SUEDINE - 918




NEW SUEDINE - 921




NEW SUEDINE - 920



NEW SUEDINE - 919




NEW SUEDINE - 922



NEW SUEDINE - 923





NEW SUEDINE - 905

NEW SUEDINE

Design	Width (In Cms)	Weight	Composition	Tear Strength	Abrasion Resistance	Colour Fastness to Light	Pilling Resistance	Parten Repeat (If any)
NEW SUEDINE	140±2	450 GSM	100% Polyester	4	More than 20000 Cycles	3.5 More	4	N/A

1. We do not accept responsibility for any damage resulting from inappropriate use, chemical cleaning or additional impregnation.
2. Test results were gathered from various samples and therefore represent average indicative values.
3. Discolouration caused by clothing fabrics such as jenas does not represent a material defect. Minor colour deviations and discolouring in context of permissible industrial tolerance standards do not constitute reasons for claims .

Washing Instructions



Color may vary from batch to batch

Complimentary Sample File Not For Sale

Product Color May Slightly Vary From Original Due To Photographic Lighting Sources Or Your Screen Settings.





s a r o m ™  
c o m b i n a t i o n s u n e x p e c t e d

[www.sarom.info](http://www.sarom.info)